

구매 규격서

Commodity Description

관세 분류번호 H. S. K NO	품목 번호 Item. NO	품명 및 규격 Description	단위 Unit	수량 Q'TY
		Normal Oven 일반건조기 (C-DOD1)	Set	1

1. 용도 및 특징 (Features)

공업용 시료, 초자기구등의 세척 후 건조등 다방면 으로 사용되는 건조기입니다.

- 자연대류형 건조기로 가장 일반적으로 사용되는 제품입니다.
- 내부를 SUS광판(光板)을 사용하여 깨끗하게 마감이 되어 있습니다.
- 외부는 철판에 분체코팅을 하여 제품이 견고하고 미려하며 방청효과가 우수
- 내부 관찰이 용이한 시창구 부착
- 선반이 WIRE로 제작이 되어 내부의 공기가 순환하기 원활하게 제작
- 실리콘 패킹을 사용 밀폐성이 좋고 깨끗합니다.

2. 사양 (Specifications)

Model		C-DOD1
Dimensions	Inner (W*D*H)(mm)	300×300×350
	Outer (W*D*H)(mm)	390×400×600
	Volume (L)	30
Controller		Digital Temp Controller & Digital Display / K type(CA)
Temp	Range	Ambient +5℃ ~ 180 ℃
	Accuracy	±1℃
Timer	Scale	99Hr 59Min, 99Min 59Sec, 99Day 23Hr
Electrical spec	Heater	600W
	Power	220V, 3A, 1ø
Shelves		2EA
Materials	Inner	Stainless steel SUS304
	Outer	Steel plate with powder coated
Safety device		Exclusive over temp, protector
Weignt(Kg)		26

3. 구성 (Composition)

- Manual..... 1ea
- Shelves..... 1set
- Power cord cable..... 1ea

4. 선택옵션 (Optional Accessories)

- Perforated shelves
- Basket shelves

5. 보증 (Warranty)

- 1 Year

구매 규격서

Commodity Description

관세 분류번호 H. S. K NO	품목 번호 Item. NO	품명 및 규격 Description	단위 Unit	수량 Q'TY
		Normal Oven 일반건조기 (C-DOD2)	Set	1

1. 용도 및 특징 (Features)

공업용 시료, 초자기구등의 세척 후 건조등 다방면 으로 사용되는 건조기입니다.

- 자연대류형 건조기로 가장 일반적으로 사용되는 제품입니다.
- 내부를 SUS광판(光板)을 사용하여 깨끗하게 마감이 되어 있습니다.
- 외부는 철판에 분체코팅을 하여 제품이 견고하고 미려하며 방청효과가 우수
- 내부 관찰이 용이한 시창구 부착
- 선반이 WIRE로 제작이 되어 내부의 공기가 순환하기 원활하게 제작
- 실리콘 패킹을 사용 밀폐성이 좋고 깨끗합니다.

2. 사양 (Specifications)

Model		C-DOD2
Dimensions	Inner (W*D*H)(mm)	400×400×450
	Outer (W*D*H)(mm)	520×520×720
	Volume (L)	72
Controller		Digital Temp Controller & Digital Display / K type(CA)
Temp	Range	Ambient +5℃ ~ 180 ℃
	Accuracy	±1℃
Timer	Scale	99Hr 59Min, 99Min 59Sec, 99Day 23Hr
Electrical spec	Heater	1,000W
	Power	220V, 5A, 1ø
Shelves		3EA
Materials	Inner	Stainless steel SUS304
	Outer	Steel plate with powder coated
Safety device		Exclusive over temp, protector
Weignt(Kg)		38

3. 구성 (Composition)

- Manual..... 1ea
- Shelves..... 1set
- Power cord cable..... 1ea

4. 선택옵션 (Optional Accessories)

- Perforated shelves
- Basket shelves

5. 보증 (Warranty)

- 1 Year

구매 규격서

Commodity Description

관세 분류번호 H. S. K NO	품목 번호 Item. NO	품명 및 규격 Description	단위 Unit	수량 Q'TY
		Normal Oven 일반건조기 (C-DOD3)	Set	1

1. 용도 및 특징 (Features)

공업용 시료, 초자기구등의 세척 후 건조등 다방면 으로 사용되는 건조기입니다.

- 자연대류형 건조기로 가장 일반적으로 사용되는 제품입니다.
- 내부를 SUS광판(光板)을 사용하여 깨끗하게 마감이 되어 있습니다.
- 외부는 철판에 분체코팅을 하여 제품이 견고하고 미려하며 방청효과가 우수
- 내부 관찰이 용이한 시창구 부착
- 선반이 WIRE로 제작이 되어 내부의 공기가 순환하기 원활하게 제작
- 실리콘 패킹을 사용 밀폐성이 좋고 깨끗합니다.

2. 사양 (Specifications)

Model		C-DOD3
Dimensions	Inner (W*D*H)(mm)	500×450×600
	Outer (W*D*H)(mm)	620×570×860
	Volume (L)	72
Controller		Digital Temp Controller & Digital Display / K type(CA)
Temp	Range	Ambient +5℃ ~ 180 ℃
	Accuracy	±1℃
Timer	Scale	99Hr 59Min, 99Min 59Sec, 99Day 23Hr
Electrical spec	Heater	1,500W
	Power	220V, 7A, 1ø
Shelves		3EA
Materials	Inner	Stainless steel SUS304
	Outer	Steel plate with powder coated
Safety device		Exclusive over temp, protector
Weignt(Kg)		52

3. 구성 (Composition)

- Manual..... 1ea
- Shelves..... 1set
- Power cord cable..... 1ea

4. 선택옵션 (Optional Accessories)

- Perforated shelves
- Basket shelves

5. 보증 (Warranty)

- 1 Year

구매 규격서

Commodity Description

관세 분류번호 H. S. K NO	품목 번호 Item. NO	품명 및 규격 Description	단위 Unit	수량 Q'TY
		Normal Oven 일반건조기 (C-DOA1)	Set	1

1. 용도 및 특징 (Features)

공업용 시료, 초자기구등의 세척 후 건조등 다방면 으로 사용되는 건조기입니다.

- 자연대류형 건조기로 가장 일반적으로 사용되는 제품입니다.
- 내부를 SUS광판(光板)을 사용하여 깨끗하게 마감이 되어 있습니다.
- 외부는 철판에 분체코팅을 하여 제품이 견고하고 미려하며 방청효과가 우수
- 내부 관찰이 용이한 시창구 부착
- 선반이 WIRE로 제작이 되어 내부의 공기가 순환하기 원활하게 제작
- 실리콘 패킹을 사용 밀폐성이 좋고 깨끗합니다.

2. 사양 (Specifications)

Model		C-DOA1
Dimensions	Inner (W*D*H)(mm)	300×300×350
	Outer (W*D*H)(mm)	390×400×600
	Volume (L)	30
Controller		Analog Temp Controller
Temp	Range	Ambient +5℃ ~ 180 ℃
	Accuracy	±5℃
Timer	Scale	×
Electrical spec	Heater	600W
	Power	220V, 3A, 1ø
Shelves		2EA
Materials	Inner	Stainless steel SUS304
	Outer	Steel plate with powder coated
Safety device		Exclusive over temp, protector
Weignt(Kg)		26

3. 구성 (Composition)

- Manual..... 1ea
- Shelves..... 1set
- Power cord cable..... 1ea

4. 선택옵션 (Optional Accessories)

- Perforated shelves
- Basket shelves

5. 보증 (Warranty)

- 1 Year

구매 규격서

Commodity Description

관세 분류번호 H. S. K NO	품목 번호 Item. NO	품명 및 규격 Description	단위 Unit	수량 Q'TY
		Normal Oven 일반건조기 (C-DOA2)	Set	1

1. 용도 및 특징 (Features)

공업용 시료, 초자기구등의 세척 후 건조등 다방면 으로 사용되는 건조기입니다.

- 자연대류형 건조기로 가장 일반적으로 사용되는 제품입니다.
- 내부를 SUS광판(光板)을 사용하여 깨끗하게 마감이 되어 있습니다.
- 외부는 철판에 분체코팅을 하여 제품이 견고하고 미려하며 방청효과가 우수
- 내부 관찰이 용이한 시창구 부착
- 선반이 WIRE로 제작이 되어 내부의 공기가 순환하기 원활하게 제작
- 실리콘 패킹을 사용 밀폐성이 좋고 깨끗합니다.

2. 사양 (Specifications)

Model		C-DOA2
Dimensions	Inner (W*D*H)(mm)	400×400×450
	Outer (W*D*H)(mm)	520×520×720
	Volume (L)	72
Controller		Analog Temp Controller
Temp	Range	Ambient +5℃ ~ 180 ℃
	Accuracy	±5℃
Timer	Scale	×
Electrical spec	Heater	1,000W
	Power	220V, 5A, 1ø
Shelves		3EA
Materials	Inner	Stainless steel SUS304
	Outer	Steel plate with powder coated
Safety device		Exclusive over temp, protector
Weignt(Kg)		38

3. 구성 (Composition)

- Manual..... 1ea
- Shelves..... 1set
- Power cord cable..... 1ea

4. 선택옵션 (Optional Accessories)

- Perforated shelves
- Basket shelves

5. 보증 (Warranty)

- 1 Year

구매 규격서

Commodity Description

관세 분류번호 H. S. K NO	품목 번호 Item. NO	품명 및 규격 Description	단위 Unit	수량 Q'TY
		Normal Oven 일반건조기 (C-DOA3)	Set	1

1. 용도 및 특징 (Features)

공업용 시료, 초자기구등의 세척 후 건조등 다방면 으로 사용되는 건조기입니다.

- 자연대류형 건조기로 가장 일반적으로 사용되는 제품입니다.
- 내부를 SUS광판(光板)을 사용하여 깨끗하게 마감이 되어 있습니다.
- 외부는 철판에 분체코팅을 하여 제품이 견고하고 미려하며 방청효과가 우수
- 내부 관찰이 용이한 시창구 부착
- 선반이 WIRE로 제작이 되어 내부의 공기가 순환하기 원활하게 제작
- 실리콘 패킹을 사용 밀폐성이 좋고 깨끗합니다.

2. 사양 (Specifications)

Model		C-DOA3
Dimensions	Inner (W*D*H)(mm)	500×450×600
	Outer (W*D*H)(mm)	620×570×860
	Volume (L)	72
Controller		Analog Temp Controller
Temp	Range	Ambient +5℃ ~ 180 ℃
	Accuracy	±5℃
Timer	Scale	×
Electrical spec	Heater	1,500W
	Power	220V, 7A, 1ø
Shelves		3EA
Materials	Inner	Stainless steel SUS304
	Outer	Steel plate with powder coated
Safety device		Exclusive over temp, protector
Weignt(Kg)		52

3. 구성 (Composition)

- Manual..... 1ea
- Shelves..... 1set
- Power cord cable..... 1ea

4. 선택옵션 (Optional Accessories)

- Perforated shelves
- Basket shelves

5. 보증 (Warranty)

- 1 Year